

IN THE CLAIMS

Please add newly presented claims 21-25. Please amend the claims as follows:

D1
1. (Currently Amended) In a data processing system including a plurality of processors each directly coupled via a system memory bus wherein a first processor of said plurality of processors contains a level one cache memory directly coupled to a level two cache memory which is directly coupled to a level three cache memory via a level three cache controller, said level two cache memory containing cache storage and tag storage and containing a circuit for SNOOPing said system memory bus, the improvement comprising:

A first dedicated path between said system memory bus and said cache storage and a second dedicated path between said system memory bus and said tag storage.

2. (Previously presented) A data processing system according to claim 1 further comprising control logic directly coupled to said cache storage and said tag storage which provides the highest priority for said SNOOPing.

3. (Previously presented) A data processing system according to claim 2 wherein said level two cache memory further comprises:

D1
A duplicate tag memory.

4. (Previously presented) A data processing system according to claim 3 wherein said plurality of processors further comprises

A plurality of instruction processors.

5. (Previously presented) A data processing system according to claim 4 wherein said level three memory further comprises:

A level three cache memory.

6. (Currently Amended) A data processing system comprising:

a. A plurality of processors including a first processor containing a level one cache memory;

b. A level two cache memory containing a data memory and a tag memory directly coupled to said level one cache memory;

c. A system memory bus directly coupled to said plurality of processors and directly coupled to said data memory and directly and independently coupled to said tag memory; and

d. A SNOOP request placed on said system memory bus and directly coupled to said tag memory.

D/ 7. (Previously presented) A data processing system according to claim 6 further comprising:

A data request transferred from said level one cache memory to said level two cache memory.

8. (Previously presented) A data processing system according to claim 7 further comprising:

Control logic within said level two cache memory which provides priority of said SNOOP request over said data request.

9. (Previously presented) A data processing system according to claim 8 further comprising:

a. A level one tag memory located within said level one cache memory; and

b. A duplicate tag memory within said level two cache memory which maintains a duplicate of information within said level one tag memory.

10. (Previously presented) A data processing system according to claim 9 wherein said SNOOP request is directly coupled to said duplicate tag memory.

D/ 11. (Currently Amended) A method of maintaining validity of data within a level one cache memory of a processor having a level one tag memory directly coupled to a level two cache memory containing a tag memory and a data memory wherein said level two cache memory is directly coupled to a system memory bus to said data memory via a first dedicated path and to said tag memory via a second dedicated path comprising:

- a. Formulating a SNOOP request;
- b. Presenting said SNOOP request on said system memory bus to said level two cache memory;
- c. Routing said SNOOP request directly to said tag memory via said second dedicated path; and
- d. Processing said SNOOP request.

12. (Original) A method according to claim 11 further comprising:

- a. Presenting a data request from said level one cache memory to said level two cache memory; and
- b. Granting priority to said SNOOP request over said data request.

13. (Previously presented) A method according to claim 12 further comprising:

Maintaining a duplicate copy of said level one tag memory within a duplicate tag memory within said level two cache memory.

14. (Previously presented) A method according to claim 13 further comprising:

Routing said SNOOP request to said duplicate tag memory.

15. (Previously presented) A method according to claim 14 further comprising:

Processing said SNOOP request regarding said duplicate tag memory.

16. (Currently Amended) An apparatus comprising:

- a. Executing means for executing program instructions;
- b. Level one caching means directly coupled to said executing means for level one caching data;
- c. Requesting means directly coupled to said executing means and said level one caching means for requesting a data element if said executing means requires requesting of said data element and said level one caching means does not contain said data element;
- d. Level two caching means directly coupled to said requesting means for level two caching;

21
e. Storing means located within said level two caching means for storing level two caching data;

f. Maintaining means located within said level two caching means for maintaining level two tags; and

g. SNOOPing means directly coupled via a dedicated path to said maintaining means for directly SNOOPing said level two tags.

17. (Currently Amended) An apparatus according to claim 16 further comprising:

a. Granting means directly coupled to said storing means and said maintaining means for granting priority to a SNOOP request over said data element request.

18. (Currently Amended) An apparatus according to claim 17 further comprising:

a. Bussing means directly coupled to said level two caching means for bussing system memory data;

b. Interfacing means directly coupled to said bussing means for interfacing said bussing means directly to said storing means; and

c. Interfacing means directly coupled to said bussing means for interfacing said bussing means directly to said maintaining means.

19. (Currently Amended) An apparatus according to claim 18 further comprising:

DI a. Recording means located within said level one caching means for recording level one tags; and

b. Duplicating means located within said level two caching means and directly coupled to said recording means for duplicating said level one tags.

20. (Currently Amended) An apparatus according to claim 16 further comprising:

a. SNOOPing means directly coupled to said bussing means and said duplicating means for SNOOPing said duplicating means.

21. (New) A data processing system having a plurality of processors comprising:

a. a main memory;

b. a system bus responsively coupled to said main memory;

c. a plurality of cache memory units wherein each of said plurality of cache memory units is dedicated to a different one of said plurality of processors;

d. a plurality of cache data storage units wherein each of said plurality of cache data storage units is located in a different one of said plurality of cache memory units;

21
e. a plurality of tag storage units wherein each of said plurality of tag storage units is located in a different one of said plurality of cache memory units;

f. a plurality of first direct paths wherein each of said plurality of first direct paths directly couples a different one of said plurality of cache data storage units to said system bus; and

g. a plurality of second direct paths wherein each of said plurality of second direct paths directly couples a different one of said plurality of tag storage units to said system bus.

22. (New) A data processing system according to claim 21 wherein at least one of said plurality of processors further comprises an instruction processor.

23. (New) A data processing system according to claim 22 wherein said at least one of said plurality of processors further comprises a dedicated level one cache memory.

24. (New) A data processing system according to claim 23 wherein said dedicated level one cache memory further comprises a read only instruction cache memory.

25. (New) A data processing system according to claim 24 wherein said dedicated level one cache memory further comprises a read/write operand cache memory.